

Certificate of Analysis

Triibe Organics

eduardooliver@tribe-organics.com

40 Exchange Place STE1602 New York, NY 10005

Mushroom Complex

Lot #: 210787204
Product ID: FG10787

Lab Received Date: 29 September 2022
Lab Report Date: 5 October 2022
Product Size: 120 capsules
Serving Size: 2 capsules

Country of Manufacture: USA
Manufactured: July 2022

1100 0000	Specifications	Results	UOM	Status
USP <2091>	630mg ±10%	624.58	mg	PASS
VP USP <2090>	Average Weight ±20%	Conforms		PASS
Organoleptic	Free-flowing Powder	Conforms		PASS
Organoleptic	Brown	Conforms		PASS
Gauge	"00"	Conforms	N/A	PASS
Organoleptic	Clear	Conforms	N/A	PASS
USP <701>	≤30 min	<30	min	PASS
Method	Specifications	Results	MOU	Status
AOAC 990.12	≤10,000 cfu/g	<100		PASS
AOAC 997.02	≤1000cfu/g	<10		PASS
AOAC 991.14	≤100 cfu/g	Absent		PASS
AOAC 991.14	Absent	Absent		PASS
AOAC 2014.01	Absent in 10g	Absent		PASS
			,9	
By Input	≥90% of 1000mg	991.39	ma	PASS
	Organoleptic Organoleptic Gauge Organoleptic USP <701> Method AOAC 990.12 AOAC 997.02 AOAC 991.14 AOAC 2014.01	Organoleptic Free-flowing Powder Organoleptic Brown Gauge "00" Organoleptic Clear USP <701> ≤30 min Method Specifications AOAC 990.12 ≤10,000 cfu/g AOAC 997.02 ≤1000cfu/g AOAC 991.14 ≤100 cfu/g AOAC 991.14 Absent AOAC 2014.01 Absent in 10g	Organoleptic Free-flowing Powder Conforms Organoleptic Brown Conforms Gauge "00" Conforms Organoleptic Clear Conforms USP <701> ≤30 min <30	Organoleptic Free-flowing Powder Conforms N/A Organoleptic Brown Conforms N/A Gauge "00" Conforms N/A Organoleptic Clear Conforms N/A USP <701> ≤30 min <30 min

*All subcontract testing methods come from an ISO/IEC 17025:2017 accredited laboratory.

Analysis Completed by: Nathan Tews

QC Chemist

Approved by: Sunil Kumar
Director of Quality

This product has been manufactured in accordance with all applicable local, state, and federal laws and regulations - including FDA 21CFR111 - and has been determined to meet its Finished Product Specifications (FPS) release criteria. This report is provided for the exclusive use of the addressee and the laboratory accepts no responsibility/liability except for the due performance of inspection and/or analysis in good faith. The above results relate only to the stated material. This includes any action of testing, calibrating, or sampling. This certificate shall not be reproduced except in full, without the written approval of Vitalpax.